

HeraldGlobe

HeraldGlobe.com

Thursday 24th July 2008

- [More Washington DC News](#)
- Anne Hathaway sings away the blues with karaoke
- Jennifer Connelly is the new face of Revlon
- Jackman won't give new mum Kidman 'annoying advice'
- Now, YouTube like website for spreading green videos
- Family history 'cannot predict breast cancer risk in women'
- Older adults can play significant role in protecting environment
- Naomi Campbell slams new crop of 'super' models
- George Clooney polled 'Hollywood's Top Bachelor'
- Eva Mendes strips for Calvin Klein's new underwear line
- Heath Ledger's The Joker deserves an Oscar: Maggie Gyllenhaal
- Natalie Portman to star in boyfriend's Bollywood spoof video
- Minimally invasive treatment gives male fertility a boost

Get Herald Globe headlines emailed to you daily.

[XML](#) [RSS](#) [RSS](#)
[Directory](#)

Peptide therapy may prevent Parkinson's progression

Herald Globe
 Thursday 22nd November, 2007
 (ANI)

Washington, Nov 22 : A new study has shown that peptide therapy can prevent the progression of Parkinson's disease.

Scientists from the Rush University Medical Center along with researchers at the University of Nebraska Medical Center, Omaha, and Yale University, New Haven, have effectively used a peptide to reverse biochemical, cellular and anatomical changes that occur in the brains of mice with Parkinson's disease (PD), and report success in preventing the disease from progression.

"This could be a new approach to halt disease progression in PD patients," said study author Kali Pahan, PhD, professor of neurological sciences at Rush University Medical Center.

The authors have shown that one protein, NF-kB, is increased in the midbrain of PD patients and mice with PD pathology, and the researchers used a novel peptide (small proteins) to block this protein in mice with PD-like symptoms.

Pahan explained that after intraperitoneal injection (injection into the abdomen of the mouse) this peptide enters into the brain and blocks protein NF-kB and other associated toxic molecules, and goes on to protect neurons, normalizes neurotransmitter levels, and improves motor functions in mice with PD.

Peptides, proteins and certain drugs usually do not enter into the brain after crossing the blood-brain barrier. Therefore, at present, peptides, proteins or genes are injected into the brain which is risky and painful.

"To overcome this problem, we have added a tag in front of that peptide that is helping the peptide enter into the brain. Therefore, there is no need to inject these peptides into the brain. This is an important discovery," Pahan said.

"Understanding how the disease works is important to developing effective drugs that protect the brain and stop the progression of PD.

"Now we need to translate this finding to the clinic and test this peptide in patients with PD. If these results can be replicated in PD patients, it would be a remarkable advance in the treatment of this devastating neurodegenerative disease," he added.


Parkinson's is a slowly progressive disease that affects a small area of cells within the mid-brain known as the substantia nigra. Gradual degeneration of these cells causes a reduction in a vital chemical neurotransmitter, dopamine. The decrease in dopamine results in one or more of the classic signs of Parkinson's disease that includes: resting tremor on one side of the body; generalized slowness of movement; stiffness of limbs; and gait or

balance problems.

The study is published these in the Proceedings of the National Academy of Sciences of the United States.

 **Email this story to a friend**

Have your say on this story

Your nickname	<input type="text"/> (optional)
Message	<input type="text"/>
Image verification	 <p>(enter the verification code from the image above)</p> <input type="text"/> <input type="button" value="Post comment"/>

